

SECTION I - PRODUCT IDENTIFICATION

Product Name: **FASTFIX**

Revision: 06/11/97

SECTION II - HAZARDOUS INGREDIENTS & OTHER COMPONENTS

| INGREDIENT CHEMICAL NAME | OSHA PEL | ACGIH TLV | OTHER LIMITS RECOMMENDED | CAS NUMBER |
|---------------------------------------|-----------------|------------------|---------------------------------|-------------------|
| Glycidyl ethers of bisphenol A resins | N/A | N/A | N/A | 25068-38-6 |
| Crystalline silica | N/A | N/A | N/A | 14808-60-7 |
| Tri (dimethylaminomethyl) phenol | N/A | N/A | N/A | 90-72-2 |
| Zinc sulfide | N/A | N/A | N/A | 1314-98-3 |

SECTION III – PHYSICAL DATA / CONTENTS WITHOUT PROPELLENT

| | |
|-------------------------------------|---|
| BOILING POINT: N/A | SPECIFIC GRAVITY (H2O=1): N/A |
| VAPOR PRESSURE (mm Hg): N/A | MELTING POINT: N/A |
| VAPOR DENSITY (AIR = 1): N/A | EVAPORATION RATE (Butyl Acetate = 1): N/A |
| SOLUBILITY IN WATER: N/A | APPEARANCE AND ODOR: White/Neutral Sulfur, Mercaptan |

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): N/A
FLAMMABLE LIMITS N/A

EXTINGUISHING MEDIA: WATER FOG STANDARD FOAM CO₂
DRY CHEMICAL HALON

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A
SPECIAL PRECAUTIONARY STATEMENTS: N/A

SECTION V: REACTIVITY DATA

STABILITY: Stable Unstable
Incompatibility : None
Hazardous Decomposition: CO, aldehydes, acids, oxides of sulfur and nitrogen
HAZARDOUS POLYMERIZATION: May Occur Will not occur
Conditions to Avoid: None

SECTION VI: HEALTH HAZARD DATA

ROUTES OF ENTRY & HEALTH HAZARDS (ACUTE AND CHRONIC)

INGESTION: N/A
EYES: N/A
INHALATION: N/A
SKIN: N/A

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: N/A
EYES: N/A
INHALATION: N/A
SKIN: N/A

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE
LARGE AMOUNTS ARE RELEASED: Dispose of in normal manner.

WASTE DISPOSAL METHOD: Incinerate in furnace or bury in landfill according to applicable regulations; not a hazardous waste.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in < 90°F (32°C)
OTHER PRECAUTIONS: Store in a cool, dry, well ventilated area.
 N/A

SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION: None required unless sanding or abrading.
VENTILATION: None required.
LOCAL EXHAUST: Only if heated above 100°F (38°C)
PROTECTIVE GLOVES: Appropriate impervious gloves. Because a variety of protective gloves exist, consult glove manufacturer to determine the proper type for a specific operation.
EYE PROTECTION: Safety goggles.

SECTION IX: SPECIAL PRECAUTIONS

| | |
|-----------------------------|----------------------------|
| HEALTH: 1 | HAZARD RATING KEY |
| FLAMMABILITY: 1 | 0 = MINIMAL |
| REACTIVITY: 0 | 1 = SLIGHT |
| PERSONAL PROTECTION: | 2 = MODERATE |
| | 3 = SERIOUS |
| | 4 = SEVERE |
| | * = CHRONIC HEALTH EFFECTS |

Disclaimer: The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.